

List of Exercises

Chapter 1	<i>Averages and Layout</i>	14
1A:	Alternative Analyses of the Data	
1B:	Another Example	
1C:	The Current Economic Climate	
1D:	The National Income	
1E:	Elegant Variations	
1F:	Taking One's Own Medicine	
1G:	What's Wrong?	
1H:	Company Reports	
1I:	Further Examples	
Chapter 2	<i>Using Prior Knowledge</i>	33
2A:	Predicting from Two Readings	
2B:	More Prior Knowledge	
2c:	<i>Business Week's</i> "Latest Week"	
2D:	More <i>Business Week</i> Data	
2E:	Prior Information in Practice	
2F:	Rounding to Two Digits	
Chapter 3	<i>Tables and Graphs</i>	48
3A:	The Function of Tables	
3B:	Data for the Record	
3C:	An Information System	
3D:	A Graphical Representation	
3E:	Misleading Graphs	
3F:	Graphs to Dramatise	
Chapter 4	<i>Compared with What ?</i>	61
4A:	An Awful Warning	
4B:	Catch Them Early	
4C:	A Successful Treatment	

4D:	“Only 70 % or As Many as 70 %?”	
4E:	The Relationship between I and U	
4F:	Intentions-to-Buy and Future Usage	
4G:	Information for Decision-making	
<i>Chapter 5</i>	<i>Descriptive Relationships</i>	75
5A:	What is a Variable?	
5B:	Algebraic Relationships	
5C:	Points on a Straight Line	
5D:	A Change in Units	
5E:	x In terms of y	
5F:	Scatter about the Equation	
<i>Chapter 6</i>	<i>Using a Given Relationship</i>	91
6A:	The meaning of a Relationship	
6B:	Less Simple Data	
6C:	The Fit for Sub-groups and Aggregates	
6D:	$y = ax + b$ or $x = y/a - b/a$?	
6E:	Prediction and Decision-making	
<i>Chapter 7</i>	<i>Deriving a New Relationship</i>	108
7A:	Problems with Extreme Values	
7B:	Subjective or Objective?	
7C:	Alternative Working-solutions	
7D:	Why the Problem?	
7E:	The Intercept-coefficient	
7F:	The Wrong Working-solution	
7G:	Different Sets of Data	
7H:	Height as a Function of Weight	
7I:	Height and Age, and Weight and Age	
7J:	The Velocity of a Falling Body	
7K:	Fitting to Individual Readings or to Means	
7L:	The Analysis of the Individual Readings	
7M:	Is There a Relationship?	
7N:	Other Methods of Analysis	
<i>Chapter 8</i>	<i>Non-linear Relationships</i>	128
8A:	^ Curved Relationship	
8B:	A Measurement Bias?	
8C:	A Change of Units	
8D:	Deviations from the Log Relationship	
8E:	The Fit in Logarithmic and Additive Units	
8F:	Children’s Weight and Age	

- 8G: A Failure to Fit
 8H: Changing the Mathematical Function

Chapter 9 Many Variables 147

- 9A: Following up on the Apple Trees
 9B: Following up on Consumer Attitudes
 9C: The Nature of the Duplication-of-Purchase Law
 9D: Reformulating the Duplication-of-Purchase Law
 9E: Empirical Variations in D
 9F: The Effects of Advertising
 9G: The Roles of Other Variables
 9H: The Value of More Data

Chapter 10 The Emergence of Theory 160

- 10A: Is It Practical?
 10B: The Units of Measurement
 10C: The Quantities b and w
 10D: Oversimplification in the Theory
 10E: By Fits and Starts
 10F: Obvious After The Event?
 10G: Explaining Consumers' Attitudes

Chapter 11 Summary Measures 179

- 11A: A Logical Sequence
 11B: The Greek Sigma Notations
 11C: Deviations from the Mean
 11D: Combining Two Averages
 11E: A Computing Short-cut
 11F: The Standard versus the Mean Deviation
 11G: Outliers
 11H: The Divisor $(n-1)$ for the Variance
 11I: Degrees of Freedom

Chapter 12 Frequency Distribution 202

- 12A: The Use of a Distribution
 12B: The Parameters of a Distribution
 12C: Deviations from a Model
 12D: Exceptional Deviations
 12E: Fitting the Fositive Binomial Distribution
 12F: The Mathematics of the Poisson Distribution
 12G: Calculating the Poisson Frequencies

- I
- 12H: The Exponential Distribution
 - 12I: The Negative Binomial Distribution
 - 12J: The Beta-Binomial Distribution
 - 12K: The Normal Distribution
 - 12L: The Combination of Frequency Distributions
 - 12M: Adding Different Variables

Chapter 13 Probability Models

222

- 13A: Exclusive Events
- 13B: Independent Events
- 13C: Non-independence
- 13D: Conditional Probabilities
- 13E: The Frequency Interpretation
- 13F: An Unusual Occurrence?
- 13G: Deviations from a Model
- 13H: Theoretical Assumptions
- 13I: “At Haphazard”
- 13J: What are Random Independent Events?
- 13K: The Central Limit Theorem
- 13L: The Binomial Expansion
- 13M: Probability Generating Functions
- 13N: The Negative Binomial Distribution
- 13P: The Poisson–Gamma Hypothesis

Chapter 14 Correlation and Regression

248

- 14A: Comparing Two Correlation Coefficients
- 14B: Two Different Correlations
- 14C: Comparing Different Regressions
- 14D: One Regression the Same
- 14E: Two or More Sets of Data
- 14F: Fitting a Regression to Mean Values
- 14G: Using a Regression Equation
- 14H: Predictions for a Single Child
- 14I: The Least-Squares Principle
- 14J: Collecting the Data
- 14K: Significant Relationships
- 14L: Perpendicular Deviations
- 14M: Why are There Two Regression Lines?
- 14N: A Special Case?
- 14O: Best for Prediction
- 14P: Statistical Conditions
- 14Q: A Computing Formula for the Covariance

<i>Chapter 15</i>	<i>Multivariate Techniques</i>	273
15A:	Calculating the Multiple Regression Equation	
15B:	The Linear Multiple Regression Model	
15C:	The Best-fitting Line for Other Data	
15D:	A Text-book Example	
15E:	Alternative Equations	
15F:	The New Equation $\log C = \log 1 - \log P + 1.98$	
15G:	Other Things Being Equal	
15H:	Prior Knowledge	
15I:	Factor and Component Analysis	
15J:	Creating New Variables	
15K:	The Comparison of Different Component Analyses	
15L:	Useful for an Initial Look?	
15M:	The Analysis of Structured Data	
15N:	The Naming of Factors or Components	
<i>Chapter 16</i>	<i>Taking a Sample</i>	294
16A:	Judgment Sampling	
16B:	“Drawn at Random”	
16C:	A Random Sample	
16D:	Defining the Population	
16E:	Sampling in Time	
16F:	Sampling the Same Population Again	
16G:	Taking More than One Sample	
16H:	An Indefinite Population	
16I:	Games of Chance	
<i>Chapter 17</i>	<i>Sampling Distributions</i>	308
17A:	Empirical Samples	
17B:	The Expected Value of the Sample Mean,	
17C:	The Standard Error of the Mean	
17D:	The Distribution of the Sample Mean	
17E:	The Difference of Two Means	
17F:	Sampling Without Replacement	
17G:	Binomial Sampling	
<i>Chapter 18</i>	<i>Statistical Inference</i>	333
18A:	Significant with a Larger Sample?	
18B:	The Nature of Statistical Hypotheses	
18C:	The Full Null Hypothesis	
18D:	One 95 % Confidence Interval or Many?	
18E:	A 4 x 6 Contingency Table	
18F:	χ^2 as a Measure of Correlation	

18G: One-tailed Tests of Significance

18H: More Complex Estimators

Chapter 19 Observation and Experimentation 349

19A: The Conditions of Observation

19B: Repeating an Experiment

19C: Explaining a Discrepancy

19D: The, Uncertainty Principle

19E: Time as a Condition of Observation

19F: The Analysis of a Factorial Experiment

19G: The Analysis of Variance

19H: How Many Factors in a Factorial Design?

19I: Latin Square Designs

19J: The Important Factors

19K: The Choice of the Research Design

Chapter 20 Description and Explanation 365

20A: The Main Conclusion

20B: Statisticians as Their Own Customers

20C: Description Without Explanation

20D: Assumptions Without Justification

20E: Testing an Explanatory Theory

20F: The Timing of an Explanation

20G: Knowing the Causal Direction

20H: Correlation Is Not Causation

20I: The Causal Direction

20J: Spurious Relationships

20K: Empirical Generalisations

References

- Aitcheson, J. and Brown, J. A. C. (1957). *The Lognormal Distribution*. Cambridge: Cambridge University Press.
- Anscombe, F. J. (1967). "Topics in the Investigation of Linear Relations Fitted by the Method of Least Squares." *J. Royal Statist. Soc. B*, 29, 1-52.
- Bartlett, M. S. (1937). "Some Examples of Statistical Methods of Research in Agriculture and Applied Biology." *J. Royal Statist. Soc. Suppl.*, 4, 137-146.
- Bartlett, M. S. (1949). "Fitting a Straight Line when Both Variables are Subject to Errors." *Biometrics*, 5, 207-212.
- Bird, M. and Ehrenberg, A. S. C. (1966). "Intentions-to-Buy and Claimed Brand-Usage." *Operational Research Quarterly*, 17, 27-46, and 18, 65-66.
- Bird, M. and Ehrenberg, A. S. C. (1970): "Consumer Attitudes and Brand Usage." *J. Market Res. Soc.*, 12, 233-247; 3, 100-101, and 242-243; 14, 57-58.
- Bortkewitsch, L. Von (1898). *Das Gesetz der Kleinen Zahlen*. Leipzig: Teubner.
- Brookes, B. C. and Dick, W. F. L. (1969). *Introduction to Statistical Method*. London: Heinemann.
- Bureau of the Census (1972). *Pocket Data Book: USA 1971*. Washington DC :U.S. Government Printing Office.
- Business Week (1971). "Figures of the Week". *Business Week (April 24)*, New York: McGraw-Hill.
- Central Statistical Office (1972). *Facts in Focus*, London: Penguin Books.
- Chakrapani, T. K. and Ehrenberg, A. S.C. (1974). "The Pattern of Consumer Attitudes". Aapor-Wapor Conference, Lake George, New York.
- Charlton, P., Ehrenberg, A. S. C. and Pymont, B. (1972). "Buyer Behaviour under Mini-Test Conditions." *J. Market Res. Soc.*, 14, 171-183.
- Chatfield, C. (1969). "On Estimating the Parameters of the Logarithmic and Negative Binomial Distribution." *Biometrika*, 56, 411-414.
- Chatfield, C. and Goodhardt, G. J. (1970). "The Beta-Binomial Model for Consumer Purchasing Behaviour." *Applied Statistics*, 19, 240-250.
- Chatfield, C. and Goodhardt, G. J. (1973). "A Consumer Purchasing Model with Erlang Inter-Purchase Times." *J. Amer. Statist. Assoc.*, 68, 344351.
- Clements, E. M. B. (1953). "The Stature of British Children." *British Medical Journal*, (October 24), 4842, 897-902.
- Clements, E. M. B. (1954). Private Communication.
- Cochran, W. G. (1963). *Sampling Techniques* (2nd ed.) New York: Wiley.
- Cochran, W. G. and Cox, G. M. (1957). *Experimental Designs*. New York: Wiley.
- Collins, M. A. (1973). "The Analysis and Interpretation of Attitude Data." Market Research Society Course on Consumer Attitudes, Cambridge, March 1973.
- Corlett, T. (1963). "Ballade of Multiple Regression." *Applied Statistics*, 12, 145.
- Cox, D. R. (1958). *Planning Experiments*. London and New York: Wiley.

- Deming, W. E. (1960). *Sample Design in Business Research*. New York: Wiley.
- Ehrenberg, A. S. C. (1950). "Estimation of Heterogeneous Error Variances." *Nature*, 166, 608.
- Ehrenberg, A. S. C. (1951). "The Unbiased Estimation of Heterogeneous Error Variances." *Biometrika*, 37, 348-357.
- Ehrenberg, A. S. C. (1959). "The Pattern of Consumer Purchases." *Applied Statistics*, 8, 26-41.
- Ehrenberg, A. S. C. (1963). "Bivariate Regression is Useless." *Applied Statistics*, 12, 161-174.
- Ehrenberg, A. S. C. (1967). "Where Were You in the Revolution?" *Admap*, 3, 247-250.
- Ehrenberg, A. S. C. (1968). "The Elements of Lawlike Relationships." *J. Royal Statist. Soc. A*, 131, 280-302 and 315-329.
- Ehrenberg, A. S. C. (1969). "Statisticians as Their Own Customers." Royal Statistical Society Conference on 'Consumer Satisfaction', Sheffield, April 1969.
- Ehrenberg, A. S. C. (1972). *Repeat-Buying: Theory and Applications*. Amsterdam and London: North-Holland; New York: American Elsevier.
- Ehrenberg, A. S. C. (1974a). "Repetitive Advertising and the Consumer." *J. Advertising Research*, 14, 62-71.
- Ehrenberg, A. S. C. (1974b). *Aviation Fuel Contracts*. Cambridge: Marketing Science Institute.
- Ehrenberg, A. S. C. and Goodhardt, G. J. (1968). "The Nature of Brand-Switching." *Nature*, 220, 5764, 304.
- Ehrenberg, A. S. C. and Goodhardt, G. J. (1969). "A Model of Multi-Brand Buying." *J. Marketing Research*, 7, 77-84.
- Ehrenberg, A. S. C. and Pyatt, F. G. (1971). *Consumer Behaviour*. London and Baltimore: Penguin Books.
- Ehrenberg, A. S. C. and Twyman, W. A. (1967). "On Measuring Television Audiences." *J. Royal Statist. Soc. A*, 130, 1-54.
- Einstein, A. (1949). *Out of My Later Years*. New York: Philosophical Library.
- Elderton, W. B. (1902). "Tables for Testing the Goodness of Fit of Theory to Observation." *Biometrika*, 1, 155-163.
- Fisher, R. A. (1935). *The Design of Experiments*. Edinburgh: Oliver and Boyd.
- Fisher, R. A. (1950). *Statistical Methods for Research Workers*. Edinburgh: Oliver and Boyd (1st edition 1925).
- Fisher, R. A., Corbett, R. S. and Williams, C. B. (1943). "The Relation Between the Number of Species and the Number of Individuals in a Random Sample of an Animal Population." *J. Animal Biology*, 12, 4248.
- Fisher, R. A. and Yates, F. (1957). *Statistical Tables for Agricultural, Biological and Other Research Workers*. Edinburgh: Oliver and Boyd.
- Foy, F. C. (1973). "Annual Reports Don't Have to be Dull." *Harvard Business Review*, January-February, 51-58.
- Gatty, R. (1966). "Multivariate Analysis for Marketing Research: An Evaluation." *Applied Statistics*, 15, 157-172.
- Geissler, A. (1889). "Beiträge zur Frage des Geschlechts-verhältnisses der Geborenen." *Zeitschrift des K. Sächsischen Statistischen Bureaus*, 35, 1-22.
- Golde, R. A. (1966a). *Thinking with Figures in Business*, Reading: Addison-Wesley.
- Golde, R. A. (1966b). "Sharpen Your Number Sense." *Harvard Business Review*, July-August, 73-83.
- Goodhardt, G. J. (1966). "The Constant in Duplicated Television Viewing." *Nature*, London, 212, 5070, 1616.

- Goodhardt, G. J. and Chatfield, C. (1973). "The Gamma Distribution in Consumer Purchasing." *Nature*, London, 244, 5414, 316.
- Goodhardt, G. J., Ehrenberg, A. S. C. and Collins, M. A. (1975). *The Television Audience*. Farnborough : Saxon House; Lexington : Lexington Books.
- Greenwood, M. and Yule, G. U. (1920). "An Enquiry into the Nature of Frequency Distributions Representative of Multiple Happenings, with Particular Reference to the Occurrence of Multiple Attacks of Disease of Repeated Accidents." *J. Royal J. Statist. Soc. A*, **83**, 255-279.
- Haight, F. A. (1967). *Handbook of the Poisson Distribution*. New York: Wiley.
- Hansen, M. H., Hurwitz, W. N. and Madow, W. F. (1953). *Sample Survey Methods and Theory (Vol. I and II)*. New York : Wiley; London : Chapman and Hall.
- Healy, M. J. R. (1952). "Some Statistical Aspects of Anthropometry (with Discussion)." *Royal Statist. Soc. B*, **14**, 164-184.
- Hinshelwood, C. N. (1967). "President's Anniversary Address." *Proc. Roy. Soc. B.*, **148**, 5-16.
- Kendall, M. G. (1951 and 1952). "Regression, Structure and Functional Relationship, Parts I and II." *Biometrika*, **38**, 11-15; **39**, 96108.
- Kendall, M. G. (1961). "Natural Law in the Social Sciences." *J. Royal Statist. Soc. A*, **124**, 1-19.
- Kish, L. (1965). *Survey Sampling*. New York: Wiley.
- Kpedekpo, G. M. K. (1970). "The Height and Weight of Ghanaian Children." *J. Royal Statist. Soc. A*, **133**, 86-93.
- Kpedekpo, G. M. K. (1971). "Pre-School Children in Ghana-The Use of Prior Information." *J. Royal Statist. Soc. A*, **134**, 372-373.
- Kuhn, T. W. (1970). *The Structure of Scientific Revolutions*. Chicago: University of Chicago Press.
- Lindley, D. V. (1947). "Regression Lines and the Linear Functional Relationship." *J. Royal. Statist. Soc. B*, **9**, 214-244.
- Lindley, D. V. and Miller, J. C. P. (1966). *Cambridge Elementary Statistical Tables*. Cambridge : Cambridge University Press.
- Lovell, H. G. (1972). "Heights and Weights of West Indian Children." *J. Royal Statist. Soc. A*, **135**, 569-578.
- Medawar, P. (1952). *The Art of the Soluble*. London : Penguin Books.
- Montgomery, D. B. and Urban, G. L. (1969). *Management Science in Marketing*. Englewood Cliffs : Prentice-Hall.
- Moore, P. G. (1969). *Principles of Statistical Techniques*. Cambridge: Cambridge University Press.
- Moser, C. A. and Kalton, G. (1971). *Survey Methods in Social Investigation*. London: Heinemann.
- Neyman, J. and Scott, E. L. (1948). "Consistent Estimates Based on Partially Consistent Observations," *Econometrics*, **16**, 1-12.
- Pearce, S. C. (1969). Data From a Classical Apple Experiment. (Unpublished.)
- Popper, K. R. (1959). *The Logic of Scientific Discovery*. London: Hutchinson.
- Scott, J. R. (1973). "A Method of Predicting Trial Performance of Single Screw Merchant Ships." *Transactions of the Royal Institute of Naval Architects*, **115**, 149-171.
- Shewan, J. M. and Ehrenberg, A. S. C. (1955). "Volatile Bases and Sensory Quality-Factors in Iced White Fish." *J. Science Food and Agric.*, **6**, 207-217.
- Shewan, J. M. and Ehrenberg, A. S. C. (1957). "Volatile Bases as Quality-Indices of Iced North Sea Cod." *J. Science of Food and Agric.*, **8**, 227-23 1.
- Sillitoe, A. F. (1971). *Britain in Figures*. London: Penguin Books.

- Sprent, P. (1970). "Some Problems of Statistical Consultancy." *J. Royal Statist. Soc. A*, 133, 139-165.
- Theil, H. (1971). *Principles of Econometrics*. Amsterdam and London: North-Holland; New York: John Wiley.
- Wald, A. (1940). "Fitting of Straight Lines if Both Variables are Subject to Errors." *Ann. Math. Stat.*, **11**, 284-300.
- Yates, F. (1960). *Sampling Methods for Censuses and Surveys* (3rd ed.). London: Griffin.

Name Index

- Aitcheson, J., 202, 377
Anscombe, F. J., 253, 377
Avogadro, 359, 366
- Bartlett, M. S., 115, 377
Bayes, T., 317
Beesley, M. E., ix
Bernoulli, J., 197, 217
Bird, M., 58, 62, 139, 377
Bortkewitsch, L. von, 192, 377
Boyle, Sir Robert, 70-73, 86, 145, 151, 362
Brookes, B. C., 295, 377
Brown, J. A. C., 202, 377
- Chakrapani, T. K., ix, 139, 377
Charles, 145
Charlton, P., ix, 141, 163, 203, 377
Chatfield, C., ix, 164, 210, 211, 231, 377, 379
Clements, E. M. B., 81, 107, 116, 133, 242, 377
Cochran, W. G., 293, 326, 348, 377
Collins, M. A., ix, 139, 377
Copernicus, 364
Corbett, R. S., 378
Corlett, T., 275, 377
Cox, D. R., 326, 348, 377
Cox, M. G., 326, 348, 377
- Davies, M., ix
Deming, W. E., 293, 378
de Moivre, 189
de Montmort, 195
Dick, W. F. L., 295, 377
- Ehrenberg, A. S. C., 56, 62, 73, 81, 84, 113, 116, 139, 142, 150, 162, 166, 203, 210, 219, 221, 231, 252, 338, 365, 377-379
- Einstein, A., 333, 363, 378
Elderton, W. B., 306, 378
- Fisher, Sir Ronald, 185, 194, 199, 200, 219, 227, 289, 298, 319, 325, 326, 345, 347, 348, 378
Fleming, Sir Alexander, 320
Foy, F. C., 26, 378
- Galileo, 72
Galton, Sir Francis, 233
Gatty, R., 322, 378
Gauss, C. F., 189
Geissler, A., 197, 199, 285, 378
Golde, R. A., 25, 26, 378
Goodhardt, G. J., ix, 61, 142, 164, 211, 224, 231, 255, 377-379
Gossett, W. S., 302
Greenhalgh, C., 356
Greenwood, M., 219, 379
- Haight, F. A., 219, 379
Hansen, M. H., 293, 379
Healy, M. J. R., 116, 242, 379
Heisenberg, 35 1
Hinshelwood, Sir Cyril, 160, 379
Higgs, R., ix
Homer, 221
Hurwitz, W. N., 293, 379
- Kalton, G., 293, 379
Kendall, Sir Maurice, 192, 253, 379
Kish, L., 293, 379
Kpedekpo, G. M. K., 73, 81, 124, 379
Kuhn, T. W., 364, 379

- Laplace**, 228
Lewis, H. B., ix
Liapounov, L., 228
Lindley, D. V., 253, 257, 289, 326, 379
Lovell, H. G., 73, 124, 379
- Madow, W. F.**, 293, 379
Markov, A. A., 216
Medawar, Sir Peter, 164, 379
Miller, J. C. P., 289, 326, 379
Montgomery, D. B., 367, 379
Moore, P. G., 295, 379
Moser, Sir Claus, 293, 379
- Naylor, G. C.**, ix
Newton, 72, 361
Neyman, J., 319, 338, 379
- Ohm**, 369
- Pearce, S. C.**, 135, 379
Pearson, E. S., 319
Pearson, K., 234, 305
Poisson, 192
Popper, Sir Karl, 363, 379
- Pyatt, F. G.**, 221, 378
Pymont, B., 377
- Scott, E. L.**, 338, 379
Scott, J. R., 252, 379
Schaeffer, S. M., ix
Shewan, J. M., 84, 379
Sillitoe, A. F., 53, 379
Sprent, P., 320, 380
Student, 302
- Theill, H.**, 275, 278, 279, 380
Thomas, H., ix
Twyman, W. A., 10, 142, 378
- Urban, G. L.**, 367, 379
- Van der Waal, L.**, 146
- Wald, A.**, 115, 380
Williams, C. B., 378
Wittgenstein, L., 364
- Yates, F.**, 289, 293, 326, 335, 378, 380
Yule, G. U., 219, 379

Subject Index

- Absenteeism, 10, 316-321, 333, 334
Absolute value, 146, 175 defined
Accidents, 24, 194, 196, 219
Accuracy
 degree of (see *also* Confidence limits),
 85, 303, 315-318
 loss of, 5, 25, 50, 209, 283, 285, 290, 292
Advertising, 138, 140, 143, 151, 166, 362,
 369
Age, 16, 44, 73, 80, 81f, 91f, 96f, 107, 111,
 113, 115, 124, 143, 151, 169, 205, 250,
 271, 291, 356
Agricultural trials, 354f
Air travel, 24
Algebraic relationships, 76
Alternative equations or solutions, 262f,
 267f, 275, 276, 279
Analysis of a single set of readings, 14f,
 167f, 233-258 (two variables), 259-
 282 (multivariate)
Analysis of variance, 183, 184, 325, 326
 defined, 328, 347, 352f
Animal experiments, 357, 358
Annual reports, 26
Anthropology, 272
Approximately equal symbol \doteq , 69
Approximation, 68, 72, 86, 97, 110, 120,
 128, 146, 185, 188-191, 194, 199, 206,
 210, 216, 220f, 246, 252, 289
Approximation-limits of $(\pm c)$, 69, 93f, 134
Aristotelean, 362
Arthritis, 223
As if random (see Random)
Assumptions, 219f, 222, 226, 231f, 274f,
 363, 366f
 “*ceteris paribus*”, 278
 simplifying, 163
Astronomy, 345
Atomic weights, 72
Attitudinal data, 51, 57-64, 137-140, 146,
 147, 151, 165, 166, 281f
Automobiles, 19f, 34f
Average speed, 56f, 60
Averages-introduced, 6f, 39f, 45, 171-174
 adjusted, 9
 arithmetic (see Mean)
 as summaries, 9, 169-174
 misleading, 39, 171f
 weighted, 263, 279
Avogadro's Hypothesis, 359, 366
 $b_{XY} = Db_X b_Y$ (see Duplication-of-
 purchase law)
Babies, 74, 110, 124, 127f, 200, 214, 368
Background information, 96ff, 107, 110,
 114, 138, 293
Balance of payments, 51
Bayesian Theory, 222, 317, 365
Bernouilli Distribution (see Binomial Dis-
 tribution)
Bernouilli Process, 217, 218, 225
Beta Distribution, 200, 202
Beta-Binomial Distribution, 187-213, 218
Bias, 287, 291, 294-297, 309, 314, 343, 345,
 360
 measurement, 124, 129f
 statistical, 314
Binomial Distribution, 187-232, 288, 313
Biology, 72, 345
Biometric Society, 135
Bivariate Normal Distribution, 257
Black box, 362, 368, 369
Blips, 14, 53
Body measurements, 263-272, 281
Boots in Africa, 64
Boyle's Law ($PV = C$), 70-73, 86, 145,
 151f, 250, 253, 359-362, 366, 370
Boys and girls
 height and weight (see Height/weight
 relationship)
 incidence of, 187-232, 285, 291

- Brand/branded
 goods, 51f, 57-63, 92f, 137-144, 148-151, 155-166, 195, 203f, 215, 219-221
 images, 166
 loyalty, 62
 new, 59, 60, 140, 160f
 penetration (b), 141-144, 149f, 155-166, 204
 share, 148
 switching, 232
- Breakfast** cereals, 135-166, 195f, 203, 215f, 221, 231f, 293, 300, 308f, 311, 348, 363
- Bridges, 93
- Bureau of the Census (U.S.), 49, 377
- Businessmen, vii, 19, 36
- Business Week**, 19f, 35-37, 377
- Buyer behaviour, 135-166, 214-232, 348
- Calculating machines, 18 1
- Causal direction, 89, 368f
- Cause and effect, 344, 356-359, 362, 368
- Censuses, 42, 285, 341, 343
- Central Limit Theorem, 217, 227f, 3 11
- Central Statistical Office (U.K.), 43, 377
- Centroid analysis, 264
- Chance (see Randomness)
- Channel loyalty, 61
- Charles' Law, 145
- Chi-squared (χ^2), 304f, 323, 330, 335
- Classical Association, 160
- Clinical trials, 196, 245, 246, 292, 321, 327f, 333, 336, 344, 351f
- Cluster analysis, 272
- Coal, 19f, 39f
- Coefficient of variation, 176f
- Columns
 and rows, 7, 20, 23, 135, 139
 by size, 8, 17
- Communication of results, 38, 42, 43, 48, 54, 93, 192
- Company presidents, 26
- Company reports, 26
- Component analysis, 259-282
- Computers, 229, 235, 240, 259f, 269
 print-out, 5
 programmes, 188, 206, 272
- Conditions of observation, 72-75, 79f, 341f, 349-351
- Confidence/conviction, 29, 32, 33, 105f, 221
- Confidence limits, 315-318, 320, 332, 334, 345
- Constants, 46, 48, 60 defined, 76 explained, 143, 145, 159, 162
 absolute, 146, 207, 361
 multipliers, 142
- Consumers (see Attitudinal data, Brand/branded, Buyer behaviour)
- Consumers' Expenditure, 23
- Contingency tables, 323, 331, 334-336
- Correction
 ad hoc, 146
 factors, 57, 146f, 158, 309, 360
 formulae, 237
 term, 258
- Correlation
 analysis, viii, 167, 233-238, 259, 368
 matrix, 264, 270
- Correlation coefficient, 233-238, 260, 264, 280, 304, 321, 323, 328, 329
 multiple (R), 261, 273f
 product moment, 233f, 258, 261
- Cosmic radiation, 194
- Covariance, 114, 234, 249f, 257f
- Crop-yield, 259-263, 274, 292
- Cross-sectional study, 97
- Curved relationships, 106, 116f, 128f, 136, 155
- Cyclical movement, 33
- Data
 additional, 28, 35f, 81, 105f, 109, 123, 127, 136f, 151, 153, 263, 275, 344
 available, 81, 137f
 collection, viii, 56, 60, 89, 96f, 154, 198, 253, 341, 343, 348, 349
 combining sets of, 92, 173f, 177f, 180-182, 212f, 215
 for the record, 42
 grouping, 170, 178f, 190, 212f, 215, 330
 new, 28, 83, 91, 95, 110, 153, 182, 271, 365
 original, 14, 43, 110, 133
 pooling, 115, 251, 282
 qualitative, 33 1
 reconstruction of, 134f, 190, 205, 365
 reduction (see also Summary), vii, viii, 169, 170
 reporting, 169, 172, 177f, 190, 191, 206, 261
 retrieval, 42
 selection, 96f, 111
 storage, 42
 undigested, vii, 3, 10, 13, 28, 38, 4248, 166, 259

- Data banks, 42
- Decision-making, 56, 57, 64, 81, 87, 93f
- Decision-theory, 222
- Degree of belief (see Confidence/conviction)
- Degrees of freedom, 185, 302, 306, 323, 353
- Demand theory, 276, 279
- Demographic factors, 287
- Design factor, 307
- Deviations, 3, 68, 81, 85, 92f, 105f, 113, 117, 122, 124, 132, 136, 152, 165, 166, 175–186, 255f, 275
- average size of, 100, 174f, 180
- consistent, 30f, 113, 132, 133, 201
- exceptional, 206
- from theoretical model, 10, 40, 77, 83, 99, 130, 133, 139, 141f, 146, 205, 206, 225f, 305
- inconsistent, 30f
- irregular, 29, 32, 39, 41, 74, 99, 109
- mean (see Mean deviation)
- perpendicular, 240, 255
- residual, 31, 105, 107, 236–238, 260
- systematic, 69, 116, 132, 199f, 231, 252
- Digits
- dropping-off, 25f
- reducing (see *also* Rounding figures), 4, 14, 16, 20, 195
- significant, 5, 11, 50, 98, 121, 123
- two, 16, 20, 41, 123
- Discrepancies, 33, 80, 83, 84, 107, 111, 124, 129, 199, 201, 279, 323, 350
- Discriminant analysis, 272f
- Distributions
- continuous, 194
- discrete, 194
- non-symmetrical, 172f, 178
- of mean, 213
- of readings, 10, 169–171
- skew, 201–204, 210, 301, 308, 338
- symmetrical, 172, 178, 179, 193, 198, 199, 202, 227
- unimodal, 212
- U-shaped, 173, 178, 187, 201
- DNA, 364
- Doctors, 90, 348
- Dummy variables, 229–23 1
- Duplication-of-purchase law, 141–144, 147–151, 157–160, 223f, 232
- Ecology, 196, 219
- Econometrics, 115, 259, 263, 275, 329
- Economic analysis, 72, 87, 278f, 345, 364
- Economists, vii, 90
- Electricity, 19f, 34f
- Elegance of form, 160, 361
- Empirical relationships, 74, 79, 116, 125, 131, 147, 151
- Employees, 89, 91
- Engineers, 81, 90, 94
- Epidemics, 10, 195
- Errors, 111, 113, 183, 205, 206, 209, 216, 283, 287, 337, 350, 359f
- forecasting, 57
- in both variables, 115
- of first and second kind, 319
- of measurement, 85f, 113, 129, 183, 189, 246, 275
- pooled, 325
- statistical, 346
- Estimation-statistical, 302, 314f, 337
- Estimators-unbiased, 184, 315, 337, 376
- Ethnic groups, 79
- Events
- counting, 192, 202, 209f
- exclusive, 222f
- independent, 192, 194, 222, 223, 227, 231f
- irregular, 214–232
- successive, 209f, 215–217
- uncertain, 22 1 f
- Exceptions, 7f, 9, 14, 29, 34, 39, 52, 88f, 136f, 139, 148f, 149, 152, 165, 183, 210, 225, 363
- Expected value, 309f, 3 14, 331
- Experiments, 135, 341–349, 357
- design of, 96f, 293, 294, 328, 341–358
- factorial, 346, 347, 351–354
- Graeco-Latin Square design, 355
- Latin-Square design, 354f
- randomised, 292, 345f, 358
- Explanation, viii, 13, 31, 72, 90, 154, 155, 165, 339, 359–370
- Exponential
- distribution, 209
- expression (e^{-m}), 208
- series, 207f
- Exponents, 120, 208, 211
- Extrapolation, 79f, 89, 90, 275
- F-ratio, 325–328, 330, 352
- Factor analysis, 259–282
- e, 207
- e^m , 207

- Factorials**(!), 197, 211
Factors
 eliminating, 344, 360
 third, 358, 359, 362, 368-370
 to vary, 342f, 345, 349
 unrelated, 32, 74, 151
Facts in Focus, 43, 54, 377
Failure, 79f, 83, 91, 102, 114, 119, 142, 145, 154, 254, 321, 351
Fatalities, 25, 61, 192, 194, 297
Fertiliser, 259-263, 274, 292, 336, 355f, 366f
Financial indices, 53
First-time analysis, 33, 37, 95-115
Fit (see Deviations)
Floor-space, 87f
Fluctuations, 36, 151, 210, 254
Forecasting, 57f, 60, 351
 errors, 57
Freezers, 286
Frequency distributions, vii, 167, 169-173, 179, 187-213
 combining, 212f
 empirical, 169, 216, 222
 observed, 187, 192, 194, 196, 198, 202, 210
 shape of, 189, 193, 195, 198, 201, 202, 212
 theoretical, 187-216
Functional analysis, 115

Games of chance, 205, 218, 227, 298
Gamma Distribution, 202, 219, 232, 305
Gas Equation, 145f, 151f
Gases, 145, 146, 151, 152
Gaussian Distribution (see Normal Distribution)
Generalisation, viii, 31-33, 67, 72, 74, 80, 89, 91, 108, 109, 111, 114, 123, 128, 244f, 248, 339-342, 347, 349, 359-370
General Motors, 34
Geography, 345
Goodness-of-fit test, 323
Government Statistical Service (U.K.), 21f
Graphs, 14, 38, 40, 43-48, 51-55, 67
 misleading, 52f
 of straight line, 76
 plotting, 8, 18, 97
 rough, 43, 48, 129
Gravity, 81, 112, 128, 361
Growth functions, 121, 210
Guardian, The, 24

Guinness? Arthur Ltd., 302

Heights, 172f, 280, 297
Height/age relationship, 112, 115, 121, 144, 153f, 245, 246
Height/weight relationship, 73, 74, 79-115, 130-132, 133f, 144, 147, 151, 153f, 169, 233-258, 320, 322, 341-344, 349
 Birmingham children, 107, 116-134, 144, 153f, 233-258
 boys (mixed 0-17), 126f
 British boys in 1880's, 79, 144, 154
 Canadian girls, 123
 cube-root form, 126, 127, 131, 134, 154f, 362
 Ghanaian children, 81-83, 91f, 95-134
 pre-school children, 124
 summary of conditions covered, 73
Height/weight/age relationship, 144f
Heredity, 227
Heteroscedasticity, 43
History of science, 155
Homoscedasticity, 43, 93, 131; 275
Hormones, 200
Households, 143, 164, 287, 288, 291
Housewives, 58, 161f, 195, 287, 295
Hydrogen, 362
Hypotheses, 154f, 160, 221, 314, 318, 320, 333, 344, 354, 363, 367
 null, 318f, 324f, 332f, 337, 353
 statistical, 318-320, 333
 testing, 154, 164, 314, 338

 $I = K\sqrt{U}$ (see Intentions-to-buy)
Illegitimacy, 53f
Incomes, 47, 143, 187, 202, 213, 262, 275-279, 369
Independence, 218
Indices, 14f, 53, 275, 278
Industrial batch production, 198
Industrial contracts, 142
Influenza, 334-336
Information systems, 42
Intelligence, 73, 263, 282
Intentions-to-buy, 58-64, 93f, 138
Interaction, 352, 354, 355f
Intercept-coefficient, 67, 76, 77, 99
 determining, 101f, 107-110, 122f, 139, 145, 154, 194, 274
Interpolation, 208, 221, 224
Interviewers, 287

- k-parameter (NBD), 196, 204f, 210f, 220, 308, 337
- Labels in tables, 4, 14
- Lags, 36, 53
- Layout
- graphic, 14
 - improving, 3, 4, 19f
 - luxurious, 7
 - rearranging, 7-9, 19-23, 26, 27
 - unorthodox, 25
- Learning (contagious) phenomena, 195, 196, 210, 219, 220
- Least-squares principle, 239, 253, 259, 275
- Light, 128f, 333, 363
- Limits of variation, 51, 81f, 93, 131
- Linear relationships, 67-94, 121, 136-138, 226f, 233-282, 309, 310
- Litmus paper, 350
- Logarithms, 120f, 129, 130, 207, 208
- Log Normal Distribution, 202
- Longitudinal study, 96, 114
- Lung cancer, 356-358
- Magazine readership, 172f, 187, 201
- Market research, 56, 60, 137-140, 147
- Market Research Society, 356
- Market share, 139, 140, 148, 155-160, 164, 203, 287
- Markov Process, 216
- Mathematical functions, 116, 120, 128, 133f, 142, 164, 187
- Mathematical notation, 75f, 179, 181, 228, 230
- Matrix algebra, 270
- Maximum likelihood principle, 314f, 337f
- Mean, 171-174, 178, 179f, 183, 185, 189-211, 243
- Mean deviation, 12f, 174 defined, 178, 179, 182, 183, 189, 236
- Measles, 10, 223f, 297
- Measurement
- bias (see *Bias*)
 - scale of, 54, 120, 175, 202, 235, 264, 328
 - units (see Units of measurement)
- Median, 171-173, 179, 183, 194
- Medical diagnoses, 86
- Memorable
- labels, 4, 14
 - patterns/results, 8, 38, 45
- Mental arithmetic, 4, 14, 16, 23, 27, 37, 39-41, 50
- Method of moments, 210, 211, 337f
- Mnemonic devices, 5, 14
- Mode, 171-173, 179, 183, 188, 194, 201, 212
- Model, 3, 10f, 30f, 90, 126, 130, 140, 147, 155f, 226
- conceptual, 153
- Modulus symbol, 175
- Molecular weight, 146
- Moments, 258
- Moving averages, 14, 17
- Multi-dimensional scaling, 272f
- Multinomial Distributions, 197
- Multiple regression analysis (see Regression analysis)
- Multivariate analysis, 135-152, 259-282
- $(n - 1)$ as divisor, 175, 184f, 235, 314, 323
- National Income, 21f
- Nationalities, 73, 80, 96
- Negative Binomial Distribution (NBD), 187-213, 218f, 230f, 308, 324, 337, 348
- Negative Hypergeometric Distribution (see Beta-Binomial Distribution)
- Newtonian mechanics, 72, 360
- Non-linear equations (see Relationships)
- Non-metric scaling (see Multi-dimensional scaling)
- Non-Normal data, 324, 330
- Normal Distribution, 183, 187-213, 216, 222, 226, 228, 257, 300-313, 316, 319, 324f
- Norms, 1, 56-64, 88, 152, 253, 305, 348f
- Nursing care, 344f, 351f
- Nutrition, 73, 113, 145
- Obesity, 80
- Objectivity, 109
- Observational approach, 341-349
- Ohm's Law, 369
- Oil, 19f, 34f, 86
- Old Joe, 10
- One-tailed tests, 336
- Ordering by size, 7f, 17, 20, 108f, 135, 141, 169, 171
- Oversimplification, 70f, 86, 98, 146, 160, 169, 252, 359f
- Paintings, 282
- Paperboard, 19f, 35f
- Paradigm, 364f
- Parameters, 192-194, 201, 203
- Partial regression coefficients, 260, 273f
- Passengers, 24

- Patients, 61, 196,292
 Patterns
 absence of, 11, 214, 223, 227
 generalisable, 37,187, 199,206
 in data, 139
 in deviations, 118
 in results, 135
 main, 17, 42
 skew, 187
 systematic, viii, 104,187, 217, 274, 289
 Penicillin, 320,350
 Percentages, 15f, 23, 37, 39, 142, 170f,
 176, 179, 190, 191
 Petrol, 162, 164
 Physicists, 253, 348
 Physics, 60, 70-72, 112, 351, 363, 364
 Pie-charts, 45
 Pig-iron, 370f
 Placeboes, 345-348, 351f
 Planets, 363
 Plus or minus symbol (\pm), 69
Pocket Data Book (U.S.), 45,54, 51,377
 Poisson Distribution, 187-213, 216-222,
 231f, 324
 Poisson-Gamma model, 219f, 231f, 367
 Poisson Process, 216, 218f, 221
 Population, 32, 45, 48, 49f, 162
 mean (μ), 181 symbol defined, 301,309,
 314-317
 size, 307, 3 12
 statistical, 396f
 values, 180
 Poverty, 45
 Practical applications, 72, 80, 84, 8590f,
 107, 160f, 196, 202, 210, 293, 362
 Prediction, 31, 33, 36, 59, 62, 64, 79-94,
 110f, 161, 187, 214, 218, 221f, 238, 241,
 244, 250, 252, 256, 339, 348, 351
 best, 34
 Price, 10, 16, 83,85f, 140, 143, 162, 275-
 279, 369
 Principal Components, 266f
 Printing errors, 20
 Prior knowledge/results, viii, 28f, 57, 60,
 80, 91, 95, 97, 127, 222, 248, 271, 281,
 286, 290, 316-318, 320, 332, 349, 365,
 366
 Probability
 concept, vii, 167, 214-216, 289
 conditional, 216, 218, 222, 228
 constant, 216, 218
 density function, 228
 Probability-co&.
 generatmg function 229, 230
 independent, 215-218, 222, 225
 in sampling, 288f, 302, 315
 models 214-232
 posterior, 3 17
 prior, 317f
 subjective, 221, 318
 Product-classes, 156-16 1, 165
 Profits, 26f
 Proneness model, 194-196, 219f
 Proportions, 132, 142, 170, 179, 214f, 219,
 226
 of zeros, 205, 304, 308, 337
 Prussian soldiers, 192, 194, 208
 Psychology, 195, 263, 364
 Puberty, 80
 Purchasing frequency, 140-144, 148, 153-
 166, 195, 202f, 212, 216, 220, 231f
PV = C (see Boyle's Law)
 Quality-control, 85, 198f, 313, 331f
 Queues, 210
 Race/racial groups, 73, 79-8 1, 96f, 111,
 115, 143, 271, 342, 355, 363
 Rainfall, 16, 43f, 174, 214, 221, 222, 259
 Random
 allocation, 352
 as if, 167, 216-218, 221, 225, 227, 289
 numbers, 289, 308
 samples, 114, 222, 285-338
 variables, 227f
 Randomisation, 346, 349
 Randomness, 214-232, 286, 289
 Range, 101, 103, 105, 108, 109, 116, 120,
 124, 128, 149, 177f explained, 183, 304,
 309f, 344
 inter-quartile, 178
 Range of conditions, 31, 65, 67, 72, 74,
 75, 79, 84-90, 95, 150, 253, 342, 350f
 Rats, 358
 Reaction times, 210
 Readership data, 172f, 187, 201
 Readings
 correlated/paired, 327
 excluding, 118, 178, 205
 extreme, 98, 100, 105, 108f, 112, 121, 177
 individual, 113, 174, 179, 181, 214-233,
 323, 329
 number in each set, 170, 191, 262
 ordering? 169, 171, 172

- Reciprocals, 71, 120, 129
- Recurrence formulae, 207,209
- Redundancy, 40, 49
- Regression analysis, viii, 114, 167,233–282, 304, 321, 329, 368
- Relationships, 67–186, 233–282
 - algebraic? 76
 - cross-sectional, 87f,91
 - descriptive, 67, 72, 359
 - existence of, 114
 - lawlike/generalisable, 65, 71f, 73–75, 79, 80f, 90, 246, 252, 256, 263, 328
 - misuses of, 86, 90
 - significant, 254
 - spurious, 370
 - strength of, 233, 235
- Repeat-buying? 62, 216, 221, 231, 367
- Repetition, 111, 341–343, 346, 349, 350f
- Research, 42, 57–63, 89f, 279
- Research design, 356–358
- Residual deviations (see Deviations)
- Residual scatter (see Scatter)
- Root mean square (see Standard deviation)
- Rootstocks, 135f, 147,281
- Rotation, 267f, 270
- Rounding figures, 17f,20f, 25, 26, 36, 37, 50, 102, 123, 135, 163, 183, 205, 206, 209,274
- Rows (see Columns)
- Royal Society, 160
- Royal Statistical Society, 365
- Sales, 12, 16, 27, 51, 57–62, 87f, 89, 90, 151, 155–166, 203f, 215f, 230–232, 369
- Sample/sampling, vii, viii, 254, 285–338, 343, 352f
 - bias, 287
 - cluster, 290, 306
 - convenience, 286
 - fractions, 291
 - judgment, 287, 291, 294
 - means (*m*), 181, 301, 308, 323–329, 338
 - multi-stage, 290, 291, 294, 306
 - plausibility, 286
 - probability, 291,293, 314
 - purpose? 287
 - quota, 287
 - random (see random)
 - representative, 286f, 294, 343
 - simple random, 291, 292, 306, 314
 - size, 283, 288, 303, 306, 307; 333,334
- Sample/sampling, *contd.*
 - small, 302,317, 323,324, 329, 333, 345
 - stratified, 290f, 294, 306
 - two means, 304, 308f,312, 325f
 - unrepresentative, 288
 - with/without replacement, 292, 307, 312
- Scatter (see *also* Deviations)
 - irregular, 69, 104, 106, 109
 - range of, 88
 - residual, 13, 237, 244f, 246f, 248
 - size of, 69, 81, 196, 248, 295, 330, 334
 - summarising, 174–179
 - unexplained, 236
- Scientific**
 - knowledge, 339,362
 - laws, 359f, 364, 370f
- Scientists, vii, viii, 90, 363
- Seasonal (see Trends)
- Serial correlation, 12, 30, 329
- Sex (see Boys and Girls; Height/weight relationship)
- Share price, 27
- Shops, 87f
- Significance** levels, 319f
- Significant** figures/digits (see Digits ; Rounding figures)
- Significant results, 114, 320–322, 332
- Skulls, 272
- Slope-coefficient (*a*), 67, 75f, 77, 84f, 95–115, 139, 234 negative, 239
- Smoking, 356–358
- Social sciences, vii, 71, 345, 350
- Socio-economic classes, 73, 80, 97
- Sonking**, 364
- Specific gravity, 362
- Speculative** assumptions, 363,367
- Speed, 56f, 60
- Standard deviation, 169–213, 301, 304, 308
 - of **sampling** distribution (σ/\sqrt{n} , s/\sqrt{n}), 301
 - residual, 236–238, 246, 248, 260f
- Standard error (of mean), 303f, 307, 308, 310, 312, 315, 327
- Statistical
 - inference, viii, 283,314–338
 - regularities, 96, 187
 - significance (see **Significant results** ; Tests of significance)
- Statisticians, vii, viii, 253, 365
- Statistics
 - derived, 49
 - official, 49

- Steel, 19f, 34f
- Stochastic models, viii, 167, 202, 218-222, 227
- Stochastic processes, 216, 222
- Stocks, 12, 36, 89
- Stratification 291, 343f, 357
- Strikes, 10, 20, 36, 192f, 209, 216f, 218
- Student's t-distribution, 301f, 304, 307, 324f, 329
- Subjectivity, 109, 272
- Sub-patterns, 30
- Success, 79f, 90, 127
- Summary
 figures, 5f, 38, 42, 43, 153
 measures, 167-186, 300, 301, 304, 307
 memorable, 170
 results, vii, viii, 3, 43, 74
 rough, 4
 statements, 38-41, 48
 succinct, 90, 192, 203, 228, 365
 useful, 174
- Supermarkets, 89, 295
- Surveys, 287, 290, 296, 343f, 356f
- Symbols
a (see Slope-coefficient)
 \doteq (approximately equal), 69
b (see Intercept-coefficient)
c (see Approximation-limits of)
 ! (factorial), 197
 Greek letters, 179
m (see Sample mean)
 μ (mu-see Population mean)
 \neq (not equal), 75f
v (nu-see Degrees of freedom), 306
 \pm (plus or minus), 69
p (binomial proportion), 197
 $q = (1 - p)$, 197
r (see Correlation coefficient)
R (see Correlation coefficient, multiple (*R*))
 Roman letters, 180
 s/\sqrt{n} , 303
 σ (small sigma), 179, 180
 σ/\sqrt{n} , 301f
 Σ (capital sigma), 179, 180f
x' (x dash), 75
 \bar{x} (x bar), 181
 $|x| \pmod{x}$, 175
 χ^2 (see Chi-squared)
- t-ratio/statistic, 324, 325, 327, 354
- Table-grids, 4, 14
- Taxonomy, 272
- Technologists, vii
- Teenagers, 74, 124, 125, 147
- Television, 61, 142, 218
- Temperature, 16, 43, 56, 60, 145f, 151f, 259-263, 274, 344, 348
- Test marketing, 161
- Test variables, 263, 281
- Tests of significance, vii, 254, 273, 314-338, 325f, 345, 353
- Textile consumption, 275-279
- Thalidomide, 368f
- Theoretical
 abstraction, 225
 argument, 120, 126, 128, 154, 163
 basis, 120
 concepts, 1, 57
 deduction, 126, 127, 136, 154, 155, 164, 220, 231f
 estimates, 99
 explanation, 72
 model, 10, 40, 135, 149, 150
 values, 10, 77, 100
- Theory, 80, 115, 128, 141, 153-166, 194, 218, 220, 361-364
 empirically-based, 349, 363
 integrative function, 127
 low-level, 153, 160
 speculative, 153, 363, 367
 testing, 367
 validated, 154, 160
- Third factors (see Factors)
- Time, 297, 351
 intervals, 209
 series, 12, 14, 17, 97, 275-279, 329
- Totals, 6f, 175, 180f
- Traffic, 57, 297
- Transformations of variables, 71, 74, 119, 121, 124, 126, 128, 129f, 131, 202, 210, 274, 306, 330
 cube-root, 126-128, 154
 exponential, 121
 logarithmic, 121, 122, 127, 128, 132-134
 non-linear, 274
 of individual readings, 13 1
 square, 121, 129
 square-root, 121
- Trawler captains, 83
- Trees, 135-137, 139, 147, 281
- Trends, 16, 36, 62, 108f, 122, 132, 151, 156, 158, 160, 164, 200, 216, 278
 seasonal, 30, 62, 140, 294

- Twins, 200f
- Two-tailed test of significance, 336
- Twyman's Law, 10
- Uncertainty Principle, 35 1
- Underlying
 mechanisms/processes, 215–220, 222
 models, 196
- Understanding, 32, 49, 58, 60, 72, 80,90,
 105, 130, 148, 160, 206, 286, 339, 358–
 362,364
- Unemployment, 51, 54f
- Units of measurement, 20, 74, 176, 278
 changing, 77, 131f, 240
 choice of, 146,162f, 255f
- Van der Waals Equation, 146
- Variability
 irregular, viii
 uncontrolled, 343, 345
 unpredictable, 286
- Variables
 additional, 137, 146, 147, 151
 combining different, 213
 controlled, 245f, 256
 creating/introducing new, 6, 14,263–
 273,279
 defined, 75, 76, 91
 excluding/ignoring, 139, 143, 162
 explanatory, 146
 independent, 68, 163f, 185, 213, 259,
 263,274
 instrumental, 115
 standardised, 264, 271, 280
 three or more, 135–152, 156, 259–282
- Variance, 175f, 179, 182–185, 187–213, 236,
 258, 260, 304, 310, 314, 323
 accounted for, 265,271
 homogeneity, 330f
 residual, 236–238, 247, 265, 352f
 short-cut formula, 181f
 standard formula, 175,181f
 tests of significance, 329
- Visual
 focus, 3, 14, 20
 impression, 3, 7, 26, 43, 46, 69
 inspection, 12, 24,170f
 obfuscation, 25
 shape, 6
- $w(1 - b)$, 157–160, 162–166, 204, 361, 362
- Wald-Bartlett approach, 115
- Weather, 57, 143, 151,222
- Weight/age relationship, 112, 115, 121,
 132, 133,144, 153f
- Weighting, 291,357
- White fish, 83f
- White space, 5, 6, 14
- Working-solutions
 adjusted, 103, 107, 142
 alternative, 10f, 104, 107–109, 116, 120,
 126,128, 244–246
 curved, 104
 fitting, 136, 139
 initial, 97, 99, 102, 107,108f,110f, 116,
 120, 151, 246
 linear, 95–118, 125, 128, 130
 testing, 124,132f
- Yates correction, 335
- Yeast cells, 194,209